

Forage Suitability Groups (MN)

Mahnomon County, Minnesota

[Absence of an entry indicates that a forage suitability group was not assigned]

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
33B:			
Barnes	90	N	02
Flom	2	---	---
Hamerly	2	---	---
Hamlet	2	---	---
Poorly drained soils	2	---	---
Vallers	2	---	---
36:			
Flom	90	N	01
Hamerly	4	---	---
Hamlet	3	---	---
Very poorly drained soils	3	---	---
38B:			
Waukon	90	N	02
Gonvick	4	---	---
Flom	3	---	---
Very poorly drained soils	3	---	---
38C:			
Waukon	90	N	02
Gonvick	4	---	---
Flom	3	---	---
Very poorly drained soils	3	---	---
38E:			
Waukon	90	N	17
Flom	5	---	---

Forage Suitability Groups (MN)

Mahnomon County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
38E:			
Gonvick	5	---	---
40B:			
Nebish	90	N	06
Beltrami	4	---	---
Talmoon	3	---	---
Very poorly drained soils	3	---	---
40C:			
Nebish	90	N	06
Beltrami	4	---	---
Talmoon	3	---	---
Very poorly drained soils	3	---	---
40E:			
Nebish	90	N	17
Beltrami	5	---	---
Talmoon	5	---	---
59:			
Grimstad	90	N	10
Foldahl	5	---	---
Rockwell	5	---	---
63:			
Rockwell	90	N	09
Vallers	4	---	---
Grimstad	3	---	---
Marysland	3	---	---

Forage Suitability Groups (MN)

Mahnomon County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
121:			
Wykeham	90	N	06
Egglake	4	---	---
Snellman	3	---	---
Very poorly drained soils	3	---	---
125:			
Beltrami	90	N	02
Nebish	4	---	---
Talmoon	3	---	---
Very poorly drained soils	3	---	---
127B:			
Sverdrup	90	N	04
Marysland	5	---	---
Rockwell	5	---	---
180:			
Gonvick	90	N	02
Flom	5	---	---
Waukon	5	---	---
191:			
Epoufette	90	N	03
Karlstad	5	---	---
Very poorly drained soils	5	---	---
205:			
Karlstad	90	N	04
Epoufette	4	---	---
Sugarbush	3	---	---

Forage Suitability Groups (MN)

Mahnomen County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
205:			
Very poorly drained soils	3	---	---
236:			
Vallers	90	N	09
Hamerly	5	---	---
Very poorly drained soils	5	---	---
267B:			
Snellman	90	N	06
Egglake	4	---	---
Very poorly drained soils	3	---	---
Wykeham	3	---	---
267C:			
Snellman	90	N	06
Egglake	4	---	---
Very poorly drained soils	3	---	---
Wykeham	3	---	---
267E:			
Snellman	90	N	17
Egglake	5	---	---
Wykeham	5	---	---
290B:			
Rothsay	90	N	02
Poorly drained soils	5	---	---
Soils underlain by glacial till less than 40 inches deep	5	---	---

Forage Suitability Groups (MN)

Mahnomon County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
296:			
Fram	90	N	10
Hedman	4	---	---
Heimdal	3	---	---
Very poorly drained soils	3	---	---
332B:			
Sugarbush	90	N	08
Two Inlets	4	---	---
Epoufette	3	---	---
Karlstad	3	---	---
335:			
Urness	90	N	13
Quam, noncalcareous	5	---	---
Vallers	5	---	---
344:			
Quam	90	N	13
Urness, calcareous	5	---	---
Vallers	5	---	---
346:			
Talmoon	90	N	05
Beltrami	5	---	---
Very poorly drained soils	5	---	---
352B:			
Heimdal	90	N	02
Esmond	3	---	---
Fram	3	---	---

Forage Suitability Groups (MN)

Mahnomon County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
352B:			
Hedman	2	---	---
Very poorly drained soils	2	---	---
426:			
Foldahl	90	N	02
Rockwell	4	---	---
Grimstad	3	---	---
Sverdrup	3	---	---
494B:			
Darnen	90	N	02
Barnes	5	---	---
Flom	5	---	---
540:			
Seelyeville	90	N	14
Cathro	2	---	---
Haslie	2	---	---
Markey	2	---	---
Poorly drained soils	2	---	---
Very poorly drained soils	2	---	---
543:			
Markey	90	N	14
Hamre	3	---	---
Seelyeville	3	---	---
Poorly drained soils	2	---	---
Very poorly drained soils	2	---	---

Forage Suitability Groups (MN)

Mahnomen County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
544:			
Cathro	90	N	14
Hamre	3	---	---
Seelyveille	3	---	---
Poorly drained soils	2	---	---
Very poorly drained soils	2	---	---
718B:			
Naytahwaush	90	N	02
Auganaush	4	---	---
Mahkonce	3	---	---
Very poorly drained soils	3	---	---
718C:			
Naytahwaush	90	N	02
Auganaush	4	---	---
Mahkonce	3	---	---
Very poorly drained soils	3	---	---
718E:			
Naytahwaush	90	N	17
Auganaush	4	---	---
Mahkonce	3	---	---
Very poorly drained soils	3	---	---
737:			
Mahkonce	90	N	02
Auganaush	4	---	---
Naytahwaush	3	---	---

Forage Suitability Groups (MN)

Mahnomon County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
737:			
Very poorly drained soils	3	---	---
746:			
Haslie	90	N	14
Hamre	3	---	---
Seelyeville	3	---	---
Poorly drained soils	2	---	---
Very poorly drained soils	2	---	---
748:			
Hamlet	90	N	02
Barnes	5	---	---
Flom	5	---	---
749:			
Colvin, occasionally flooded	90	N	09
Fairdale	4	---	---
Lamoure	3	---	---
Very poorly drained soils	3	---	---
767:			
Auganaush	90	N	01
Mahkonce	5	---	---
Very poorly drained soils	5	---	---
775B:			
Sugarbush	55	N	08
Two Inlets	35	N	22
Epoufette	4	---	---

Forage Suitability Groups (MN)

Mahnomon County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
775B:			
Karlstad	3	---	---
Very poorly drained soils	3	---	---
775C:			
Sugarbush	50	N	08
Two Inlets	40	N	22
Epoufette	4	---	---
Karlstad	3	---	---
Very poorly drained soils	3	---	---
776B:			
Snellman	60	N	06
Sugarbush	30	N	08
Egglake	2	---	---
Epoufette	2	---	---
Karlstad	2	---	---
Very poorly drained soils	2	---	---
Wykeham	2	---	---
776C:			
Snellman	55	N	06
Sugarbush	35	N	08
Egglake	2	---	---
Epoufette	2	---	---
Karlstad	2	---	---
Very poorly drained soils	2	---	---
Wykeham	2	---	---

Forage Suitability Groups (MN)

Mahnomen County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
776E:			
Snellman	50	N	17
Sugarbush	35	N	18
Egglake	3	---	---
Epoufette	3	---	---
Karlstad	3	---	---
Very poorly drained soils	3	---	---
Wykeham	3	---	---
827B:			
Heimdal	60	N	02
Esmond	30	N	10
Fram	4	---	---
Hedman	3	---	---
Very poorly drained soils	3	---	---
827C2:			
Heimdal, eroded	50	N	02
Esmond, eroded	40	N	10
Fram	4	---	---
Hedman	3	---	---
Very poorly drained soils	3	---	---
867B:			
Graycalm	55	N	22
Menahga	35	N	22
Epoufette	5	---	---
Very poorly drained soils	5	---	---

Forage Suitability Groups (MN)

Mahnomen County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
903B:			
Barnes	65	N	02
Langhei	25	N	10
Flom	4	---	---
Hamlet	3	---	---
Very poorly drained soils	3	---	---
903C2:			
Barnes, eroded	55	N	02
Langhei, eroded	35	N	10
Darnen	3	---	---
Flom	3	---	---
Hamlet	2	---	---
Very poorly drained soils	2	---	---
942D2:			
Langhei, eroded	55	N	23
Barnes, eroded	35	N	17
Darnen	5	---	---
Flom	5	---	---
967B:			
Waukon	65	N	02
Langhei	25	N	10
Flom	4	---	---
Gonvick	3	---	---
Very poorly drained soils	3	---	---

Forage Suitability Groups (MN)

Mahnomon County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
967C2:			
Waukon, eroded	60	N	02
Langhei, eroded	30	N	10
Darnen	4	---	---
Flom	3	---	---
Very poorly drained soils	3	---	---
979D2:			
Langhei, eroded	55	N	23
Waukon, eroded	35	N	17
Darnen	5	---	---
Flom	5	---	---
1030:			
Pits, gravel	65	---	---
Udipsamments	35	---	---
1113:			
Cathro, ponded	30	N	24
Haslie, ponded	30	N	24
Seelyeville, ponded	30	N	24
Poorly drained soils	5	---	---
Very poorly drained soils	5	---	---
1117:			
Hedman	90	N	09
Fram	4	---	---
Rockwell	3	---	---
Very poorly drained soils	3	---	---

Forage Suitability Groups (MN)

Mahnomon County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
1139:			
Marysland, occasionally flooded	90	N	09
Fairdale	4	---	---
Lamoure	3	---	---
Very poorly drained soils	3	---	---
1142:			
Hedman	50	N	09
Fram	40	N	10
Esmond	4	---	---
Heimdal	3	---	---
Very poorly drained soils	3	---	---
1147:			
Fairdale, frequently flooded	30	N	10
Fordum, frequently flooded	30	N	16
Lamoure, frequently flooded	25	N	09
Soils that have a surface layer of muck	15	---	---
1148:			
Fairdale, occasionally flooded	45	N	10
Lamoure, occasionally flooded	45	N	09
Soils that have a surface layer of muck	5	---	---
Soils that have more sand	5	---	---

Forage Suitability Groups (MN)

Mahnomon County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
1149:			
Hamerly	90	N	10
Barnes	4	---	---
Vallers	3	---	---
Very poorly drained soils	3	---	---
1152B:			
Sugarbush	90	N	08
Two Inlets	4	---	---
Epoufette	3	---	---
Karlstad	3	---	---
1152C:			
Sugarbush	90	N	08
Two Inlets	4	---	---
Epoufette	3	---	---
Karlstad	3	---	---
1152E:			
Sugarbush	90	N	18
Two Inlets	4	---	---
Epoufette	3	---	---
Karlstad	3	---	---
1200:			
Egglake	90	N	05
Very poorly drained soils	5	---	---
Wykeham	5	---	---
1233D2:			
Esmond, eroded	60	N	23

Forage Suitability Groups (MN)

Mahnomon County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
1233D2:			
Heimdal, eroded	30	N	17
Fram	4	---	---
Hedman	3	---	---
Very poorly drained soils	3	---	---
1238E:			
Two Inlets	55	N	18
Sugarbush	35	N	18
Epoufette	5	---	---
Very poorly drained soils	5	---	---
1241B:			
Sandberg	90	N	22
Foldahl	4	---	---
Marysland	3	---	---
Rockwell	3	---	---
1356:			
Water, miscellaneous	100	---	---
1804:			
Hamre, ponded	90	N	24
Cathro	2	---	---
Haslie	2	---	---
Markey	2	---	---
Seelyeville	2	---	---
Poorly drained soils	1	---	---
Very poorly drained soils	1	---	---

Forage Suitability Groups (MN)

Mahnomen County, Minnesota

Map symbol and soil name	Pct. of map unit	Land resource unit	Forage suitability group number
1825B:			
Seelyeville, sloping, seep land	90	N	14
Poorly drained soils	5	---	---
Very poorly drained soils	5	---	---
1878:			
Hamre	90	N	13
Cathro	4	---	---
Poorly drained soils	3	---	---
Very poorly drained soils	3	---	---
1967:			
Hamerly	55	N	10
Vallers	35	N	09
Barnes	4	---	---
Langhei	3	---	---
Very poorly drained soils	3	---	---
W:			
Water	100	---	---